

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	239	(713/164).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/13 08:46
L2	210	(713/166).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/13 08:46
S1	203	(712/43).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/13 08:46
S2	270	(712/229).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:33
S3	673	(714/30).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:33
S4	1257	(714/758).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:34
S5	316	(714/55).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:35
S6	0	(mode adj1 switch\$1) near4 (timers or counters) near4 (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:40
S7	0	(mode adj1 switch\$1) with (timers or counters) with (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:36
S8	41	(mode adj1 switch\$1) with (timers or counters)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:35
S9	1	(mode adj1 switch\$1) with (timer\$1 or counter\$1) with (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:36
S10	1	(mode adj1 switch\$1) same (timer\$1 or counter\$1) same (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:36

S11	24	(timer\$1 or counter\$1) same (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:36
S12	33	(mode adj1 switch\$1) near4 (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:57
S13	1	("5615263").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:59
S14	1	("6581162").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 15:59
S15	1368	(mode adj1 switch\$1) near4 (tim\$3 or count\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/20 13:16
S16	12	(mode adj1 switch\$1) near4 (timers or counters)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/20 13:18
S17	41	(mode adj1 switch\$1) with (timers or counters)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/20 13:20
S18	10	((("5615263") or ("6581162") or ("5748888") or ("5805674") or ("6775776") or ("6044471") or ("6170014") or ("5920850") or ("5850559") or ("6532510")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/20 13:26
S19	205	(712/43).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:23
S20	279	(712/229).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:23
S21	698	(714/30).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:23
S22	1284	(714/758).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:23

S23	321	(714/55).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:23
S24	0	(mode adj1 switch\$1) near4 (timers or counters) near4 (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:25
S25	0	(mode adj1 switch\$1) with (timers or counters) with (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:25
S26	41	(mode adj1 switch\$1) with (timers or counters)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:25
S27	1	(mode adj1 switch\$1) with (timer\$1 or counter\$1) with (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:25
S28	1	(mode adj1 switch\$1) same (timer\$1 or counter\$1) same (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:26
S29	24	(timer\$1 or counter\$1) same (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:26
S30	34	(mode adj1 switch\$1) near4 (secure adj1 mode\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:26
S31	1400	(mode adj1 switch\$1) near4 (tim\$3 or count\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:26
S32	12	(mode adj1 switch\$1) near4 (timers or counters)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:26
S33	41	(mode adj1 switch\$1) with (timers or counters)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 14:26